Sample



Student:	Grac	le: School C	ontact:	DOB:
Asthmatic: Yes	No (increased risk for s	evere reaction) Severi	ity of reaction(s):	
Mother:		MHome #:	MWork #:	MCell #:
Father:		FHome #:	FWork #:	FCell #:
Emergency Contact:		Relationsl	nip:	_ Phone:
 MOUTH THROAT SKIN STOMACH LUNG HEART The state of the state	ALLERGIC REACTI Itching & swelling of l Itching, tightness in th Hives, itchy rash, swel Nausea, abdominal cra Shortness of breath, re "Thready pulse", "pass the severity of sympto- important that treats	ips, tongue or mouth roat, hoarseness, cougling of face and extremants, vomiting, diarrhepetitive cough, wheez sing out"	gh nities nea ring ickly –	Student Photo
STAFF MEMBERS I	NSTRUCTED: ☐ Administration	☐ Classroom Teac☐ Support Staff		cial Area Teacher(s) nsportation Staff
TREATMENT:	Remove stinger if visit	ole, apply ice to area.	Rinse co	ontact area with water.
Benadryl ordered:	itiated with symptor Yes Yes No	No G		ryl per provider's orders
IF ANY SYMPTOM AND EPINE Epinephrine provides a rate. This is a normal r member should accomp	IS BEYOND REDNE EPHRINE IS ORDER 20 minute response win esponse. Students receive	SS OR SWELLING ED, GIVE EPINED dow. After epinephring ring epinephrine shoul mergency room if the	AT THE SITE OF THE PHRINE IMMEDIA The properties of the stransported to the	THE STING ARE PRESENT TELY AND CALL 911. dizzy or have an increased heart e hospital by ambulance. A staff nergency contact is not present and
•	☐ Medication available			Does not ride bus
Healthcare Provider:			Phone:	
	☐ Copy provided to Pa			
Doront/Guardian Sia	nature to share this plan	with Drowider and Cal	hool Staff:	